



## Township / Range Lines:

# South line of Townships 24N to 28N in Range 7E

# East line of Range 7E in Townships 24N to 27N



Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 4/1820

(9.)

R

7


I

R

R

7

I




1

West Between 23 & 24  
 & 25 & 26 Sections 1836


12.00 Beech 20 hrs  
 18.00 Conete 60 links N E  
 40.00 Set 1/2 section post from  
 which a Hickory 7 hrs  
 166 E 27 links & Ash 8  
 hrs 163 W 22 links

58.30 Branch 20 links N E  
 59.3 Ash 18 hrs  
 80.00 Set post corner of Section  
 35 & 36 724 N 7 E  
 from which a Elm 24  
 hrs N 37 E 18 links & 10  
 12 hrs 161 W 22 links

 Rich land Timber Beech large  
 ash & undergrowth & side

West Between 23 & 24 N  
 7 E Sections 2 & 35


40.00 Set 1/2 section post from  
 which a Poplar 9 hrs &  
 83 E 19 links & Oak  
 30 hrs N 73 W 21 links





56.50 Sugar 12 hrs  
Set post corner of Section  
34 & 35 & 24 & R 7 & E from  
which a ash 6 hrs 50 E  
6 link & 70 & hrs 457  
W 15 link  
E 3 As above

West Between J 23 & 24  
ch R 7 & E Section 34  
34  
38.64 Intersect Reserve line &  
Set post from which a  
ash 24 hrs 53 W 12 links  
& W take 12 hrs 86 E  
17 links



V 630

3

North Between T 788 E

T 24 N Section 3/4 36

18.40 Sugar & 4 hrs

39.60 Creek & 10 hrs E

40.00 Let 1/2 Section post  
from which a Buckeye  
10 hrs 56 E & 40 down

50.00 Let 1/2 Section post  
for sec. 25 & 36

from which a house  
6 hrs S 38 E 1/4 mi. E  
Buck 16 hrs S 22 W  
13 hrs

Over good farming  
land Timber  
Buck Sugar & Ash &c

---

North Between T 788 E

T 24 N Section 25 & 36

24.53 Buck 14 hrs

25.60 Brook 20 hrs N E

40.00 Let 1/2 Section post  
from which a house  
12 hrs S 36 E 2 1/4 mi. E  
20 14 hrs S 35 E 14 hrs

42.62 Oak 30 ft  
80.00 Set post corner of  
Section 24 & 25  
240 N 7 E from  
which a Beech 8  
h 52 N 17 E  
4 Poplar 10 h 12  
71 E 5 links  
E over as before

North between N 788 E  
S 24 N Section 19 & 24  
27.15 Oak 12 ft  
40.00 Set 1/2 section post  
from which a Oak  
36 h 50 N 29 E  
4 Beech 6 h 58 E  
3 links

55.70 Sugar 14 h

80.00 Set post corner of  
Section 13 & 24 E  
N 7 E from which  
a Hickory 8 h 11 E  
2 links & Oak 13 h  
N 28 E 23 links  
E over as before

North Between R 788 E

T 24 N Section 13 8/8

40.00 Lc 1/2 Section port  
from which a Beech  
8 hrs S 78 E 8 cunks  
Elm 18 hrs N 8 W 18 cunks

56.03 Poplar 12 hrs

60.00 Lc port corner of  
Section, 12 8/13 T 24 N

R 7 E from which a

Poplar 24 hrs S 50 W

12 cunks & Beech 8 hrs

N 75 E 2 cunks

as above

North Between R 788 E

T 24 N Section 7 8/2

23.90 Sugar 14 hrs

33.50 Brook 10 hrs E

40.00 Lc 1/2 Section port

from which a Oak 10  
hrs S 4 E 41 cunks & Oak

12 hrs N 63 E 11 cunks

7370 Ash 40 hrs

8000 Export corner of  
sections 18 12 24  
NR 7 E from which  
a Beech 12 hrs 32 E  
27 hrs 8 sec 30 hrs S  
85th 30 hrs.

Boveras before

North Belview R 788 E  
T 24 N sections 188

4000 Sec 12 section port  
from which a Beech  
10 hrs 18 48 W 10 hrs  
8 sec 10 N 59 E 16 hrs

5650 Sugar 12 hrs

6300 Brook 7 hrs

8000 Export corner of  
248 25 NR 788 E S  
1.6. 31. 36 from which  
a Sugar 9 hrs 18  
E 13 hrs 8 sec  
10 hrs N 17 E 39 hrs

Boveras before  
James McDonald



Net Between 2482500

R 7 E Section, 1835

2600 Hickory 18 lbs

4000  $\frac{1}{2}$  section post  
from which a Beech

10 lbs 864 & 11 lbs

8 do 14 & 85 & 22 lbs

8000  $\frac{1}{2}$  section corner of  
section 358 36 & 250

R 7 E from which a

Beech 12 lbs 864 &

10 lbs 8 do 8 lbs &

73 & 22 lbs

3 can cut land

Chamber Beech ash

Elm &c

Net Between 2482400

R 7 E Section 2835

1900 Hickory 18 lbs

4000  $\frac{1}{2}$  section post

from which a Beech

8 lbs 82 & 9 lbs

Beech 7 lbs 89 &

14 lbs

6750 Poplar, 24 hrs  
6000 Set post corner of  
Section 34 & 35  
25th R 78 from  
which a hazar 8 hrs  
at 67 E 25 links &  
at 18 hrs 76 W 22  
3000 as before

---

West Between 24 & 25  
at R 78 Section 34 & 35  
28.18 Intersect Reserve  
Set post post from  
which a Elm 12 hrs  
at 27 W 6 links &  
ash 5 hrs 86 W 19  
Apr 6<sup>th</sup> / 820  
James F. W. Leonard

V 630

North Between R 7 & 8 E

25th Section 31 & 30

29.75 Beech 13 hrs

40.00 Set for Section post from  
which a Beech 10 hrs

539 E 21 lbs 148 Ash  
5 hrs at 8 E 20 lbs

58.55 Ash 12 hrs

80.00 Set for corner of Section

25th 36 25th N 7 E from

which Beech 8 hrs 8

17 W 37 lbs 148 Ash

1st at 73 W 26 lbs

Good good farming

Low Timber Beech

Lugar ash & under pine

North Between R 7 & 8 E

25th Section 24 & 30

A 443 Lugar 18 hrs

40.00 Set for Section post from

which a Beech 13 hrs

541 E 25 lbs 148 Ash

10 hrs at 73 W 15 lbs

70 00 Map from away and  
let post from which  
a Elm 98 hrs. 48 L  
blunk & Buckeye 10  
hrs 840 W 14 lin post L

73 66 Let post the N Bank  
from which will be 20  
hrs 88 W 24 lin &  
Buckeye 8 hrs 88 L

50 00 Let post corner of Sect  
24 25 25 W 27 L  
from which as much  
12 hrs 83 L 53 1/2 hrs  
20 hrs 25 W 35 hrs  
Corner as before

North Belvedere 788 L  
25 Section 19824

2480 Buckeye 14 hrs

40 00 Let 1/2 Section post  
from which as Elm  
20 hrs 86 W 119 Buckeye  
7 hrs 87 L 10 hrs

80 00 Let post corner of  
Section 13824  
25 W 7 L from which  
Oak 20 hrs 823 W  
blunk 18 L Elm 8 hrs  
28 L 27 hrs  
Corner as before

North Betwin R 758 L 11  
T 25 Section 13818

29.30 Beech 14 lbs

40 00 Lit 1/2 Section port  
from which a Sugar  
18 lbs S 14 N 34 lbs  
V Beech 8 lbs N 56 L

18 lbs  
55 20 Sugar 14 lbs

80 00 Lit 1/2 corner of  
Section 12 N 31 S 25

N 37 L from which  
a Beech 10 lbs S  
18 L 53 Corn 18 lbs  
Honeywood 8 lbs N 53 M  
25 Corn

50 00 over before

North Betwin R 758  
82 Section 7812

40 00 Lit 1/2 Section port  
from which a Sugar  
16 lbs S 11 L 29 lbs

V Beech 12 lbs N  
9 N 23 lbs



174 00 Creek 30 lks N W  
80 00 Set post corner of  
Section 18 12 E  
25 N 72 from  
which a homestead  
8 hrs S. E 12 lks, &  
Buck 10 hrs N 5 W  
21 lks

So over as before  
North Betlevine 788 E  
25 N Section 86

39 00 Creek 3 lks N

40 00 Set 1/2 Section post  
from which a Buck  
10 hrs N 80 W 15 lks,  
& also 20 hrs S 02 E  
22 lks

75 10 Set post corner of S  
25 426 N 788 E Sec  
16 31 30 from which  
a Buck 12 hrs S 47 E  
7 lks, & Homewood  
8 hrs N 1 W 14 lks

So over as before  
April 1820  
James H. Howard

V 00

B

Net Between 25 & 26  
N 72 Section 1035

4000 Set 1/2 post from  
which a Elm 8 hrs  
875 L 20 lin in 1/2 from  
wood 8 hrs 255 N 41 L  
67.50 Oak 14 hrs

8000 Set post corner of  
Section 35 & 36 25  
N 72 from which  
Oak 40 hrs 180 L  
34 lin 1/2 & 20 10 hrs  
54 N 31 lin 1/2  
3 over good farming  
Timber Buck Ash 12

---

next # Between 25 & 26

N 72 Section 2835  
960 Oak 48 hrs  
4000 Set 1/2 Section post  
from which a  
Ash 7 hrs 2 at 34 lin 1/2  
& Oak 20 hrs 80 N  
18 lin 1/2

14 3000 Set point & corner  
Section 34 & 35  
200 ft R & E from  
which are Buck 4  
W 10 6 1/2 30 links  
8 Elm 10 W 10 25 W  
9 links  
3 over & down laid  
Number Buck Elm & 10

North street of 25 & 26  
R & E Section 36 & 34  
1950 intersects Reserve &

Set point from which  
Ash 24 W 10 6 1/2 32  
links & Buck 4  
118 W 2 links

April 5<sup>th</sup> 1820  
James McDonald

North <sup>8 15</sup> Between <sup>15</sup> 7882  
260 Section 31836

14.02 Oak 22 hrs

40.00 Set for section post from  
which a Beech 12 hrs 8

9.2 43 hrs 8 Oak 10

At 58 M 25 hrs

63.30 Beech 12 hrs

80.00 Set post corner of section  
on 25836 & 260 M 72

from which a Beech  
16 hrs 13 & 24 hrs

& Hickory 15 hrs 45

M 13 hrs

Good good farming  
land Sugar Beech  
Sugar Ash &c

North Between 7882  
260 Section 25830

30.30 Sugar 20 hrs

40.00 Set for section post  
from which a Beech  
14 hrs 26 M 18 hrs

80.20 M 11.20 hrs

68<sup>00</sup> Walnut 24 hrs

69<sup>00</sup> Brook 8 hrs W

80<sup>00</sup> At port corner of  
Section 24 & 25 T26  
N 72 from which  
a Sugar 18 hrs 23 L  
10 links & Buckeye 10  
hrs & 28 W 32 links  
5 over as before

North between R 7 & 8 E  
T26 Section 19 & 20

21<sup>40</sup> Beech 14 hrs

21<sup>85</sup> Brook 6 hrs W

40<sup>00</sup> At 1/2 Section port  
from which a Oak 13  
hrs & 28 E 16 links &  
Beech 8 hrs 8 W 7  
links

72<sup>18</sup> Sugar 14 hrs

80<sup>00</sup> At port corner of  
Section 13 & 24 T26  
N 72 from which a  
Sugar 13 hrs & 27 E 32  
links & Beech 12 hrs &  
W 36 links  
5 over as before



North Betweens R 7 & 8 E  
26 A Section 13 & 18

23.16 Sugar 16 hrs

40.00 Set 1/2 Section post  
from which a Beech  
18 hrs S 33 E 12 hrs  
4 Oak 20 hrs N 37 W  
39 links

80.00 Set post corner of

Section 12 & 13

26 A R 7 E from which  
an Oak 14 hrs West

84 links no more  
convenient

Over as before

---

North Betweens R 7 & 8 E

26 A Section 7 & 12

40.00 Set 1/2 Section post  
from which a Beech  
10 hrs N 21 W 10  
links & 18 hrs  
S 35 E 10 links

18  
04.90 Apr 18 hrs.

80.00 Lt port corner of  
Section 18/2 Feb  
R 79 from which a  
Ash 16 hrs 8 M 25 links  
4 Beech 10 hrs 22 & 33  
links.  
3 over pony land  
Timber Ash Beech &c

North Between R 788 &  
26th Sections 186

4000 Lt 1/2 Section port  
from which a Buckeye  
10 hrs 24 & 20 links  
4 as 8 hrs 34 M 30 links

80.20 Lt port corner of  
26th 27th R 788 &  
Section 1. 6. 31-36 from  
which a Willow 10  
hrs 15 M 16 links &  
as 7 hrs 36 M 14 links

North Between J 26827<sup>th</sup>  
R 79 Section, 31836  
29.12 Do pear 24 hrs  
40.00 Lt 1/2 Section from  
from which a light 8  
hrs S 89 E. 14 hrs  
to Beach 14 hrs S 84  
N 24 hrs  
62.20 Elm 18 hrs  
80.00 Lt port corner  
Section, 35836  
27.12 R 79 from  
which a Do pear 30  
hrs S 6 W 10 hrs S  
to Beach 8 hrs  
S 27 W 9 hrs  
= on good farming  
land in the beach side  
to cedar spin

North Between J 26827<sup>th</sup>  
West R 79 Section, 2836  
22.50 Beach 16 hrs  
40.00 Lt 1/2 Section from  
from which a Do pear  
8 hrs S 58 E 14 hrs  
Do pear 8 hrs S 89 W  
32 hrs

29810 Brook 10 S

80 00 Lat post corner of  
Section 34 & 35 T2 R2  
R29 from which a  
fence 18 hrs S47W  
7 links & 1/2 8 hrs  
S62 E 29 links  
300 as before

Lat between R2 & R29  
at R29 Section 34 & 35

8 85 Intersect Reservoir line  
at 1/2 mile at 5.15'

and lat post from corner  
a Bush 14 hrs S 8 W  
14 links & 1/2 12 hrs S  
31 links 17 links

North Between Or 78 & 82  
927 & Sec 31 & 36

40.00 Set 1/4 Sec post  
from which a beam  
13 lbs & 28 M. 77 links  
4 D 15 lbs 512 &  
20 links

80.00 Set post for Cor  
1/4 Sec 25 & 36  
927 & Or 78 from  
which a beam 18 lbs  
123 & 17 links Ironwork  
4 lbs 346 & 15 links  
Richland timber  
Beam Ash walnut  
poplar Sugar &c

North Between Or 78 & 82  
927 & Sec 25 & 30

60 Ash 30 lbs

801 Branch 20. East

40.00 Set 1/4 Sec post  
from which a beam  
30 lbs 36 & 4 links  
Beam 7 lbs & 65 M  
6 links

5100 Set post for Co.  
22

N See 24825  
S 27.5 R 7 E from  
Whin & B. each  
12 Ins. N 24 E 13  
links & D 11 Ins  
S 34 W 86 links  
as above

North B. station N 74 E  
456 S 27.5 See 19424  
3650 B. each 20 Ins.  
4000 Brook 25 N. E  
Set 44.5 E post  
from which an  
Apr 20 Ins. N 26 W  
10 links B. each 10 Ins  
S 13 W 6 14 links

4000 Set post for Co.  
S See 13824 S 27.5  
R 7 E from which  
an Apr 16 Ins. N 20 E  
39 links B. each  
13 Ins. N 75 E 62 links

as above



North Betwen a 748 E23  
9274 Bee 13415

41.00 Set 4, see post  
from which a  
beech 14 Ins 87 M  
22 links & 212 Ins  
813 M63 links

50.00 Set post for W  
Bee 12415927 or  
a 7 E from which  
a Buckeye 15 Ins  
429 E30 links 4th  
14 Ins 551 E30 links  
as above

---

North Betwen a 748 E  
9274 Bee 7412

3.00 Ash 18 Ins

21.00 Brook 30 4 E

40.00 Set 4 see post from  
which a Beech 8 Ins  
423 M6 links 4th  
20 Ins 522 E37 links

45.00 Inserted Salomonic  
Set post from which  
a W Oak 15 Ins 57 E  
5 links 218 Ins 556 M  
26 links

63.10 Set post from which  
24 a W oak 20 Ins 338  
8 links 20 8 Ins 368  
19 links

80.10 Set post for Cor. of  
Sec 1 & 12 T27.5 R 7 E  
from which a Beach  
20 Ins 368 35 links  
4 Do 14 Ins 322 W 50 lbs  
and hilly timber  
Beach oak Ash &c

North 1/2 Sec 12 R 7 E  
T27.5 Sec 1 & 6  
6.14 higher 4 feet  
14.00 Brook 15-3-115  
40.00 Set 1/4 Sec post  
from which a Beach  
16 Ins 328 W 9 links  
20 16 Ins 327 25 lbs

81.10 Set post for Cor  
T27.5 28 R 7 E  
Sec 1 & 6 3/4 36 from  
which a Walnut  
24 Ins 327 622 links  
Beach 10 Ins 349 W  
13 links 1st note  
and timber Beach  
Ash Sugar Walnut  
undergrowth Spice

West  $\Delta 6^{\circ} 15'$  25  
 Between 727 & 280  
 R 7 C See 1436  
 1277 Ash 24 grs  
 4000 Set 1/4 See post  
 from which a Buck  
 eye C grs 553  
 19 links. Sugar 80 grs  
 554 11045 links  
 8000 Set post for Cor. of  
 See 35 & 36 7280  
 R 7 C from which  
 a history 15 grs  
 582 C 8 links  
 Ash 5 grs 828.11  
 15 links  
 Rich land tim  
 Ber Walnut Oak  
 Ash Sugar &c

West Between 727 & 280  
 R 7 C See 2 & 35  
 Sugar 12 grs  
 1116 Set 1/4 See post from  
 4000 which a 9 grs wood  
 8 grs 343 11016 links  
 Sugar 4 grs 825 C  
 34 links

2670.56 Buckeye 18 Ins  
50 00 Set post for Cor  
of See 34435  
328 x 82 7 6  
from which an  
Ironwood 5 Ins  
325 NW links Do  
8 Ins 37 11 2 5 links  
Spigot note and  
timber Ash-Sugar &c

West Betmen 32742818  
A 7 E See 3434  
120 Intersected Salamanie  
Set post from which  
a buckeye 14 Ins 3678  
10 links Buckeye 12 Ins  
334 11 7 7 links  
4.10 Set post from which  
a buckeye 6 Ins 372  
12 links ash 12 Ins  
333 11 2 2 links  
40.11 Set 1/4 See post  
from which a Sugar  
12 Ins 374 11 5 5 links  
Walnut 7 Ins 373  
17 links

80.10

Set post for <sup>27</sup> En  
N Sec 33 & 34

228 ft N 7 E from  
upon a sugar

18 ins 378 @ 16 links

200 15 ins 334 10  
34 links

as above

West Between 327 & 280  
N 7 E - Sec 4 & 33

336 Interested Malott

Set post from which

A hackberry 16 ins

8.60 @ 10 links 8.90

above 30 ins South

15 links

April 5<sup>th</sup> 1820





V 6.20

29

North Betwen 27 & 28

55 28 1/2 See 318 36

33.85 Sugar 18 lbs

40.00 Set 1/4 See Post

from which a walnut  
12 lbs 56 C 17 1/2 lbs

Buckeye 10 lbs

520 C 20 lbs

46.10 Intersected Walnut

Set Post from

which a Buckeye

20 lbs 5 45 C

13 lbs Buckberry

24 lbs 56 C 17 1/2

18 lbs 1st row 1st row

timber Sugar

2nd row 1st row

April 6 1890

